Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	The Buckingham Schap
--------------------------------------	---	----------------------

This risk assessment reflects government advice, which can be found at the following website:
https://www.gov.uk/government/publications/actions-for-schools-during-the-coronavirus-outbreak/schools-covid-19-operational-guidance#tracing
The risk assessment will be periodically reviewed to ensure that we adhere to any updated advice and guidance
Main changes since last Risk Assessment
Changes to the guidance since its 2 July 2021 publication include:
update to make clear who is no longer required to isolate if identified as a close contact, including clarifying that this includes young people up to the age of 18 years and 6 months (it previously said 18 years and 4 months)
added additional detail on what close contacts should do whilst awaiting their PCR test results
updated information on contingency planning in schools, with link to update 'contingency framework'

1


Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	A the Buckingham Schap
--------------------------------------	---	------------------------

Prevention and Control

Specific Issue	Actions including messages	Who involved	Person Responsible	Impact
Suspected case in school (staff or pupil)	 Contact relevant agencies e.g. LA / Public Health England If anyone in the school becomes unwell with a new and persistent cough or a high temperature, or has a loss of or change in, their normal sense of taste or smell (anosmia), they must be sent home and advised to follow guidance for households with possible or confirmed coronavirus (COVID-19) infection, which sets out that they should self-isolate for at least 10 days and should arrange to have a test to see if they have coronavirus (COVID-19). If they have tested positive whilst not experiencing symptoms but develop symptoms during the isolation period, they should restart the 10-day isolation period from the day they develop symptoms. If a child is awaiting collection, they should be moved, if possible, to a room where they can be isolated behind a closed door, depending on the age and needs of the child, with appropriate adult supervision if required. Ideally, a window should be opened for ventilation. If it is not possible to isolate them, move them to an area which is at least not within close contact of others. If they need to go to the bathroom while waiting to be collected, they should use a separate bathroom if possible. The bathroom must be cleaned and disinfected using standard cleaning products before being used by anyone else. PPE must be worn by staff caring for the child while they await collection if close contact is necessary (such as for a very young child or a child with complex needs). More information on PPE use can be found in the <u>safe working in education, childcare and children's social care settings, including the use of personal protective equipment (PPE) guidance.</u> In an emergency, call 999 if they are seriously ill or injured or their life is at risk. Do not visit the GP, pharmacy, urgent care centre or a hospital. Any members of staff who have helped someone with symptoms and any pupils who have been in close contact with th	ΗT	HT	All stakeholders are fully informed

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	Alle Buckingham School
--------------------------------------	---	------------------------

	subsequently tests positive (see below) or they have been requested to do so by NHS Test and			
	Trace.			
	- Everyone must wash their hands thoroughly for 20 seconds with soap and running water or			
	use hand sanitiser after any contact with someone who is unwell. The area around the person with sumptoms must be cleaned with normal boursheld bloach after they have left to reduce			
	with symptoms must be cleaned with normal household bleach after they have left to reduce the risk of passing the infection on to other people. See the <u>COVID-19: cleaning of non-</u>			
	healthcare settings guidance.			
	 Public Health England is clear that routinely taking the temperature of pupils is not 			
	recommended as this is an unreliable method for identifying coronavirus (COVID-19).			
	Inform staff			
	- Core reminders of hygiene			
	 Contact parents – general information about sickness etc. 			
	 <u>https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_da</u> 			
	ta/file/943707/Symptomatic_children_action_list_schools.pdf			
	 Schools must take swift action when they become aware that someone who has attended has 	HT and all	НТ	All informed and risk
	tested positive for coronavirus (COVID-19). Schools should contact the local health protection	staff		of spread reduced
	team.			
	- The advice service (or PHE local health protection team if escalated) will work with you to			
	guide you through the actions you need to take. Based on their advice, you must send home			
	 those people who have been in close contact with the person who has tested positive DfE Helpline on 0800 046 8687 and selecting option 1 for advice on the action to take in 			
Confirmed case in school	response to a positive case			
	- Close contact means:			
	- anyone who lives in the same household as someone with coronavirus (COVID-19)			
	symptoms or who has tested positive for coronavirus (COVID-19)			
	 anyone who has had any of the following types of contact with someone who has 			
	tested positive for coronavirus (COVID-19) with a PCR or LFD test:			
	 face-to-face contact including being coughed on or having a face-to face 			



conversation within 1 metre		
- been within 1 metre for 1 minute or longer without face-to-face contact		
off contact, or added up together over one day)		
 travelled in the same vehicle or a plane 		
- The advice service (or PHE local health protection team if escalated) will provide advice on		
who must be sent home. To support them in doing so, we recommend you keep a record of		
pupils and staff in each group, and any close contact that takes places between pupils and staff		
in different groups (see section 6 of the system of control for more on grouping pupils). This		
should be a proportionate recording process. You do not need to ask pupils to record everyone		
they have spent time with each day or ask staff to keep definitive records in a way that is		
overly burdensome.		
- Household members of those contacts who are sent home do not need to self-isolate		
themselves unless the pupil or staff member who is self-isolating subsequently develops		
of the following apply:		
	 been within 1 metre for 1 minute or longer without face-to-face contact sexual contacts been within 2 metres of someone for more than 15 minutes (either as a one- off contact, or added up together over one day) travelled in the same vehicle or a plane The advice service (or PHE local health protection team if escalated) will provide advice on who must be sent home. To support them in doing so, we recommend you keep a record of pupils and staff in each group, and any close contact that takes places between pupils and staff in different groups (see section 6 of the system of control for more on grouping pupils). This should be a proportionate recording process. You do not need to ask pupils to record everyone they have spent time with each day or ask staff to keep definitive records in a way that is overly burdensome. Household members of those contacts who are sent home do not need to self-isolate themselves unless the pupil or staff member who is self-isolating subsequently develops symptoms, unless they have been told to self-isolate by NHS Test and Trace or their public health protection team, in which case they must self-isolate. If someone in a class or group that has been asked to self-isolate develops symptoms themselves within the 10 days from the day after contact with the individual who tested positive, they should follow guidance for households with possible or confirmed coronavirus (COVID-19) infection. They should get a test, and: if the test delivers a negative result, they must remain in isolation for the remainder of the 10-day isolation period. This is because they could still develop coronavirus (COVID-19) within the remaining days. if the test result is positive, they should inform their school immediately, and should isolate from the day of onset of their symptoms and at least the following 10 full days. Individuals are not requir	 been within 1 metre for 1 minute or longer without face-to-face contact sexual contacts been within 2 metres of someone for more than 15 minutes (either as a one-off contact, or added up together over one day) travelled in the same vehicle or a plane The advice service (or PHE local health protection team if escalated) will provide advice on who must be sent home. To support them in doing so, we recommend you keep a record of pupils and staff in each group, and any close contact that takes places between pupils and staff in different groups (see section 6 of the system of control for more on grouping pupils). This should be a proportionate recording process. You do not need to ask pupils to record everyone they have spent time with each day or ask staff to keep definitive records in a way that is overly burdensome. Household members of those contacts who are sent home do not need to self-isolate themselves unless the pupil or staff member who is self-isolate pupils and staff symptoms, unless they have been told to self-isolate by NHS Test and Trace or their public health protection team, in which case they must self-isolate. If someone in a class or group that has been asked to self-isolate develops symptoms themselves within the 10 days from the day after contact with the individual who tested positive, they should follow guidance for households with possible or confirmed coronavirus (COVID-19) infection. They should get a test, and: if the test delivers a negative result, they must remain in isolation for the remainder of the 10-day isolation period. This is because they could still develop coronavirus (COVID-19) within the remaining days. if the test result is positive, they should inform their school immediately, and should isolate from the day of onset of their symptoms and at least the following 10 full days. Individuals are not required to self-isolate if th

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epide Risk Assessment Updated September 2021	mic		the Buckingham Schap
	 they are fully vaccinated they are below the age of 18 years and 6 months they have taken part in or are currently part of an approved COVID-19 vaccine trial they are not able to get vaccinated for medical reasons The pupil or staff member who tested positive for coronavirus (COVID-19) can return to their normal routine and stop self-isolating after they have finished their isolation period and their symptoms have gone or if they continue to have only a residual cough or anosmia. This is because a cough or anosmia can last for several weeks once the infection has gone. If they still have a high temperature after 10 days or are otherwise unwell, you should advise them to stay at home and seek medical advice. You should not request evidence of negative test results or other medical evidence before admitting pupils or welcoming them back after a period of self-isolation. In the vast majority of cases, parents and carers will be in agreement that a pupil with symptoms should not attend the school, given the potential risk to others. In the event that a parent or carer insists on a pupil attending your school, you can take the decision to refuse the pupil if, in your reasonable judgement, it is necessary to protect your pupils and staff from possible infection with coronavirus (COVID-19). Your decision would need to be carefully considered in the light of all the circumstances and current public health advice 			
Containing any suspected outbreak	 If you have 5 or more confirmed cases within 14 days in the same year group, or an overall rise in sickness absence where coronavirus (COVID-19) is suspected, you may have an outbreak. You should call the dedicated advice service who will escalate the issue to your local health protection team where necessary and advise if any additional action is required. You can reach them by calling the DfE Helpline on 0800 046 8687 and selecting option 1 for advice on the action to take in response to a positive case. In some cases, health protection teams may recommend that a larger number of other pupils self-isolate at home as a precautionary measure. This could be the class or year group. If you are implementing the system of controls, addressing any issues you have identified and therefore reducing transmission risks, whole site closure will not generally be necessary. You should not close except on the advice of health protection teams. 	HT and all staff	HT	All informed and risk of spread reduced

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epide Risk Assessment Updated September 2021	ing a Coronavirus Epidemic sessment		
Suspected case in a family	 If someone starts to display symptoms of COVID-19 whilst onsite (continuous cough or temperature, then they will go home and follow the Government guidance on staying at home <u>https://www.gov.uk/government/publications/covid-19-stay-at-home-guidance/stay-at-home-guidance-for-households-with-possible-coronavirus-covid-19-infection</u> All staff and students who are attending an education or childcare setting will have access to a test if they display symptoms of coronavirus, and are encouraged to get tested in this scenario. Where the child, young person or staff member tests negative, they can return to their setting and the fellow household members can end their self-isolation. Where the child, young person or staff member tests positive, they should follow the guidelines described in the 'confirmed case in school' section of this risk assessment. 	Families; Staff. Form tutor	SLT	Reduced risk of spreading
Confirmed case in a family	 All staff and students who are attending an education or childcare setting will have access to a test if they display symptoms of coronavirus, and are encouraged to get tested in this scenario. Where the child, young person or staff member tests negative, they can return to their setting and the fellow household members can end their self-isolation should they have been asked to isolate by test and trace. Where the child, young person or staff member tests positive, the rest of their class or group within their childcare or education setting should continue to attend school. The other household members of that wider class or group do not need to self-isolate unless the child, young person or staff member they live with in that group subsequently develops symptoms and they are asked to do so by NHS test and trace. 	HT, Site team	HT	Reduced risk of spreading
Teacher shortage	 Supply / Splitting classes / HT cover Where too many – partial closure for certain classes or part time / AM / PM classes To reduce the number of staff who are self-isolating without Covid symptoms All staff will be offered twice weekly lateral flow tests. A positive confirmatory PCR will be required for all positive cases. 	JDU	HT	Ensure teaching and learning can continue
Support staff shortage	 Supply / Prioritise most needy children / classes with remaining staff 	SENCO	HT	Ensure students most at need are prioritised
Protection for most	- Identify who these children are vulnerable e.g. underlying health conditions that may be	SENCO/ DHT	HT	Ensure students

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	Hue Buckingbam Schap
--------------------------------------	---	----------------------

/ulnerable children	affected by the current threat	most at need are
	- Discuss with parents the initial steps and agree key actions re. isolation/seclusion	prioritised
Clinically vulnerable children and adults (including pregnant staff)	 CV staff can continue to attend school. While in school they must follow the system of controls to minimise the risks of transmission. Staff who live with those who are CV can attend the workplace but should ensure they maintain good prevention practice in the workplace and at home. Pregnant women are considered clinically vulnerable. In some cases pregnant women may also have other health conditions that mean they are considered CEV, where the advice for clinically extremely vulnerable staff will apply. COVID-19 vaccination: a guide for women of childbearing age, pregnant or breastfeeding contains vaccination advice. Your workplace risk assessment should already consider any risks to female employees of childbearing age and, in particular, risks to new and expectant mothers. If you are notified that an employee is pregnant, breastfeeding, or has given birth within the last 6 months, you should check the workplace risk assessment to see if any new risks have arisen. An assessment may help identify any additional action that needs to be taken to mitigate risks. Any risks identified at that point, or later during the pregnancy, in the first 6 months after birth, or while the employee is still breastfeeding, must be included and managed as part of the general workplace risk assessment. You must take appropriate sensible action to reduce, remove or control the risks As part of your risk assessment, you should consider whether adapting duties and/or facilitating home working may be appropriate to mitigate risks. You should be aware that pregnant women from 28 weeks' gestation, or with underlying health conditions at any point of gestation, may be at greater risk of severe illness if they catch coronavirus (COVID-19). This is also the case for pregnant women with underlying health conditions that place them at greater risk of severe illness if they catch coronavirus (COVID-19). This is also the case for pregnant women with unde	
Shielding and clinically	 All clinically extremely vulnerable (CEV) children and young people should attend their 	Ensure the health of

Awaiting Approval 01/09/21 JYO Buckingham School Reopening of School During a Coronavirus Epidemi Risk Assessment Updated September 2021			Epidemic		
extremely vulnerable children and adults	 education setting unless they are one of the very small number of children and young people under paediatric or other specialist care who have been advised by their clinician or other specialist not to attend. Further information is available in the guidance online https://www.gov.uk/government/publications/supporting-pupils-at-school-with-medical-conditions3 You should ensure that key contractors are aware of the school's control measures and ways of working. (CEV) staff are advised, as a minimum, to follow the same guidance as everyone else. It is important that everyone adheres to this guidance, but CEV people may wish to think particularly carefully about the additional precautions they can continue to take. Further information can be found in the following guidance https://www.gov.uk/government/publications/guidance-on-shielding-and-protecting-extremely-vulnerable-persons-from-covid-19 Social distancing measures have now ended in the workplace and it is no longer necessary for the government to instruct people to work from home. Employers should be able to explain the measures they have in place to keep CEV staff safe at work. Encouraging vaccine take up and enabling staff who are eligible for a vaccination to attend booked vaccine appointments where possible even during term time is operational in the school, please follow the relevant request for Leave of Absence. 	Students/ staff	HT	students and staff at risk	
Site team shortage	 Discuss with cleaning team cover arrangements in good time 	HT	HT	Ensure the site is clean	
Leadership shortage	 Access via phone SLT deputise for headteacher 	SLT	SLT	Ensure the smooth running of the school	
Admin shortage	 Cover with TAs Inform parents not to phone unless emergency 	HT	HT	Ensure the smooth running of the school	
Other school users	- Inform of control measures, including the possibility that a suspension or usage may occur.	HT	HT	Reduce the risk of spreading	

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epic Risk Assessment Updated September 2021	demic		Here Buckingham School
Long period shut down	- Continue learning activities through google classroom and google meet	JDU/MWA	НТ	Continuity of

Long period shut down	 Continue learning activities through google classroom and google meet 	JDU/MWA	HT	Continuity of
due to third wave of	 Pupils have all google classroom codes for their subjects 			teaching and
infection				learning.


Awaiting Approval 01/09/21 JYO

Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021



Core Control Measures

Control Measure	Notes / Action	Who involved	Person Responsible	Impact
Soap Dispensers	 Ensure dispensers are full from the start of each day All children to use this (or have washed hands) before entering site and before eating Ensure adequate stock levels Regular checks made to ensure a good supply of soap and disposable handtowels are available at hand washing areas and toilets. 	Site team	SLT	Reduce the risk of spreading
Hand Sanitiser	 Alcohol rub or hand sanitiser to be distributed throughout the school for use by students and staff. Dispensers to be placed in every corridor and periodically refilled. 	Site team	SLT	Reduce the risk of spreading
Other users of the building	 Contact every user and inform them of usage expectations: Clean hands or use gel before using facilities Restrictions of usage No parents to enter the school site 	Reception staff	SLT	Reduce the risk of spreading
Monitoring daily any child or staff absence	 Daily report to the HT of number of absences and symptoms Use code 'I' (illness) where a pupil cannot attend school due to illness. This counts as an authorised absence Use code 'Y' (unable to attend due to exceptional circumstances) where a pupil is in self-isolation, in accordance with latest information and advice from the Department of Health and Social Care and Public Health England 	Attendanc e officer	MWR	SLT are informed about the spread of infectious disease within the school



Finding out about travel arrangements now and in the future of staff and pupils	 Newsletter: Ask parents to inform us of any close family member who has returned from a Covid Red List destination hotspot within the last month Ensure that students/staff comply with quarantine arrangements from red list countries. Staff members to inform HT of any travel arrangements to high-risk areas including those of any close friends or family they have been in contact with. Cancel all trips abroad 	SLT	HT	SLT are informed about the spread of infectious disease within the school
Reducing contact point activities	 Ensuring extremely high hygiene for any Food making / tasting Other Cease hand shaking of children and visitors Cease use of shared cups in staffroom; replace with disposable cups; Ensure staff dishwasher is used everyday to clean staff kitchen equipment inform parents to ensure children have water bottles in school Do not share food or drinks 	Staff	SLT	Reduce the spread of infectious disease

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	Ase Buckingham Schap
--------------------------------------	---	----------------------

Good Personal Hygiene	Newsletter:	All Staff	SLT/ HT	Reduce the risk of spreading
,,,	 Inform parents of hygiene expectations and to discuss with children; 		-	
	- All children to wash their hands before coming to school, before going home and			
	when they get home.			
	- Staff and pupils to wash hands more frequently including:-			
	 before leaving home 			
	o on arrival at school			
	 after using the toilet 			
	 after breaks and activities 			
	 before food preparation 			
	 before eating, including snacks 			
	 before leaving school 			
	• After coughing or sneezing			
	• Hand Sanitiser can be used but should not be a replacement for good			
	hand washing.			
	Information:			
	- Distribute key information posters			
	- 'Catch it, kill it, bin it' poster to be distributed around site			
Review of cleaning	- Meet with cleaning team to review cleaning arrangement and make any	Site Team	HT	Reduce the risk of spreading
	necessary changes			
	- Increase focus cleaning on touch points and tables (redirect from vacuuming etc.			
	if needed) or increase hours			
	- Daily cleaning of classrooms (already in place)			
	- Cleaning of classrooms that have been used at the end of every day			
Additional touch point	- Handles and rails to be cleaned at mid points during the day	Site Team	HT	Reduce the risk of spreading
cleaning daily				

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronaviru Risk Assessment Updated September 2021	ıs Epidem	nic	The Buckingham Schag
School visitors and site users	 Compulsory handwashing / use of gel before entering school; Inform them of new requirements and risk of suspension of use Informing us of any suspected or confirmed cases by any users Signage at school entrance, reception and other areas 	Reception Staff	HT	Reduce the risk of spreading
Absence policy	 Review time period of absence for ill children or staff and increase if necessary but at least to the minimum standard (e.g. 48 hrs clear of sickness / diarrhoea), 10 days of a confirmed case of coronavirus and 10 days of a case within the family. 	Attendanc e Officer	HT	Reduce the risk of spreading
Support for families affected	 Communicate to parents and staff to contact school if they require support; Regular contact with affected families and staff – wellbeing checks. 	HT & Staff		All stakeholders are informed
Set up an isolation room for suspected and confirmed cases	 Room should be isolated behind a closed door. Ideally, a window should be opened for ventilation. If they need to go to the bathroom while waiting to be collected, they should use a separate bathroom if possible. The bathroom should be cleaned and disinfected using standard cleaning products before being used by anyone else. 	SLT	HT	Infected or suspected infected are isolated to reduce spread
Setting up consistent 'bubbles' of students	 Children and staff reduce contact as much as possible Only mix small and consistent groups except for brief transitory movement Groups of students stay away from people outside of their groups, except for when passing in transit around the school site. Students will move around the school to go to their assigned classrooms following clear one-way systems Teachers are to maintain social distancing of at least 2m from students and other staff. Assemblies and other indoor gatherings will only be held remotely. Student bubbles will be no bigger than year group, although post 16 will be classed as one bubble. 	SLT	ΗT	Reduced spread of disease

Awaiting Approval 01/09/21	Buckingham School Reopening of School During a Coronavirus Epidemic	Are Buckingham Schap
OYL	Risk Assessment	Son of
	Updated September 2021	7 Sports College

Educational Visits and extra-curricular activities	 From the start of the new school term, we can go on international visits that have previously been deferred or postponed and organise new international visits for the future. Be aware that the travel list (and broader international travel policy) is subject to change and green list countries may be moved into amber or red. The travel lists may change during a visit and you must comply with international travel legislation and should have contingency plans in place to account for these changes. Conversations MUST take place with either your visit provider, commercial insurance company, or the risk protection arrangement (RPA) to assess the protection available. Independent advice on insurance cover and options can be sought from the British Insurance Brokers' Association (BIBA) or Association of British Insurers (ABI). Any school holding ATOL or ABTA refund credit notes may use these credit notes to rebook educational or international visits. You should undertake full and thorough risk assessments in relation to all educational visits and ensure that any public health advice, such as hygiene and ventilation requirements, is included as part of that risk assessment. No educational visits should go ahead at this time. Extra-curricular activities are allowed where this provision is necessary to support parents to work 			
Shared staff spaces	 Ensure there are adequate cleaning facilities in each room so staff can wipe down desks after use. 	SLT	HT	Reduce the spread of disease between members of staff

Awaiting Approval 01/09/21 JYO Buckingham School During a Coronavirus Epidemic Risk Assessment Updated September 2021


Stagger break times	 Break and lunchtimes staggered to avoid students from different groups mixing Timetable rewritten to allow for different breaks and lunchtimes. Students to have their breaks in different areas so that bubbles do not mix. Tables in dining areas are cleaned between use by different bubbles 	SLT	HT	Reduced spread of disease
PPE (disposable gloves, disposable apron, fluid resistant surgical mask, eye protection)	 to be used only for those looking after sick children before they go home, where in close contact a 2m distance can't be maintained School to purchase full sets of PPE for this use 	SLT	HT	Reduced spread of disease
Masks/face coverings	 Masks coverings should be worn by adults and students when moving around the premises, outside of classrooms, such as in corridors, communal areas and when queuing for food, where social distancing cannot easily be maintained Some individuals are exempt from wearing face coverings and we expect adults and pupils to be sensitive to those needs Face visors or shields should not be worn as an alternative to face coverings A procedure for the safe use of face coverings, including their removal should be communicated to all. Guidance on this can be found https://www.gov.uk/government/publications/safe-working-in-education-childcare-and-childrens-social-care 	SLT	HT	Reduced spread of disease
One way system on corridors	- Reduces mixing of students from different groups	SLT	HT	Reduced spread of disease
Limit which toilets each group use Toilet usage	 Capacity for each set of toilets should be assessed Different toilets to be used by different bubbles of students Staff to use single occupancy toilets around the school site Students to use toilets within their immediate vicinity/location Signage in toilets for good handwashing 	Staff	HT/SLT	Reduced spread of disease

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavir Risk Assessment Updated September 2021	us Epid	emic	Ave Buckingham Schag
Reduced use of shared resources	 Students to use fewer shared resources Classroom based resources, such as books and games, can be used and shared within the class. Children have their own equipment provided and remain with this equipment, e.g. laptops, pens, books, glue. These will be wiped frequently. Resources that are shared between classes or bubbles, such as sports, art and science equipment should be cleaned frequently and meticulously and always between bubbles, or rotated to allow them to be left unused and out of reach for a period of 48 hours (72 hours for plastics) between use by different bubbles. Children are told to only use the designated toilet Pupils and teachers can take books and other shared resources home, although unnecessary sharing should be avoided. 	Staff	HT/SLT	Reduced spread of disease
Transport arrangements	 Encourage students to walk or cycle Pupils need to be spread out on transport, so each bus will need to be assessed for its capacity whilst following safe social distancing rules. Face coverings should also be worn by pupils in year 7 and above when travelling on dedicated school transport to secondary school or college. This does not apply to those who are exempt 	SLT	HT	Reduced spread of disease
Increased Ventilation in classrooms	 Windows and doors to be kept open during teaching Good ventilation reduces the concentration of the virus in the air, which reduces the risk from airborne transmission. This happens when people breathe in small particles (aerosols) in the air after someone with the virus has occupied and enclosed area Ventilation can be achieved by: mechanical ventilation systems – these should be adjusted to increase the ventilation rate wherever possible and checked to confirm that normal operation meets current guidance and that only fresh outside air 	Staff	SLT	Reduce the spread of the virus

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronaviru Risk Assessment Updated September 2021	ıs Epide	emic	Stree Buckingham Schap
	 is circulated. If possible, systems should be adjusted to full fresh air or, if not, then systems should be operated as normal as long as they are within a single room and supplemented by an outdoor air supply natural ventilation – opening windows (in cooler weather windows should be opened just enough to provide constant background ventilation and opened more fully during breaks to purge the air in the space). Opening internal doors can also assist with creating a throughput of air natural ventilation – if necessary external opening doors may also be used (as long as they are not fire doors and where safe to do so) To balance the need for increased ventilation while maintaining a comfortable temperature, consider: opening high level windows in colder weather in preference to low level to reduce draughts increasing the ventilation while spaces are unoccupied (for example, between classes, during break and lunch, when a room is unused) providing flexibility to allow additional, suitable indoor clothing rearranging furniture where possible to avoid direct draughts Heating should be used as necessary to ensure comfort levels are maintained particularly in occupied spaces. 			
ateral flow testing	 The school will aim to test as many pupils and staff as possible upon their return to school, using the lateral flow devices. Two Three tests will be offered to each individual, spaced 3-5 days apart. A positive confirmatory PCR will be required for all positive cases. All staff will be offered twice weekly lateral flow tests. A positive confirmatory PCR will be required for all positive cases. Once the initial lateral flow testing is completed all students and staff will be offered twice weekly home lateral flow devices. They should then continue to test twice weekly at home until the end of September, when this will be 	Lateral flow testing team	SLT	To determine whether there are asymptomatic Covid cases in the community.

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavirus Epidemic Risk Assessment Updated September 2021	Stree Buckingham Schap
--------------------------------------	---	------------------------

	 reviewed. Testing is voluntary. If consent is provided, pupils will be asked to self-swab at the on-site ATS and after 30 minutes they should be informed of their results. Individuals with a positive LFD test result will need to self-isolate in line with the guidance for households with possible coronavirus infection. Those with a negative LFD test result can continue to attend school unless they have individually been advised otherwise by NHS Test and Trace or Public Health professionals (for example as a close contact). They should continue to apply the measures in the system of controls to themselves and the wider school setting. Information can be found https://www.gov.uk/government/publications/coronavirus-covid-19-asymptomatic-testing-in-schools-and-colleges 			
Home Testing	 Both pupils and staff in secondary schools will be supplied with LFD test kits to self-swab and test themselves twice a week at home. Staff and pupils must report their result to NHS Test and Trace as soon as the test is completed either online or by telephone as per the instructions in the home test kit. Staff and pupils should also share their result, whether void, positive or negative, with their school to help with contact tracing. Staff or pupils with a positive LFD test result will need to self-isolate in line with the stay-at-home guidance. They will also need to arrange a lab-based polymerase chain reaction (PCR) test to confirm the result if the test was done at home. Those with a negative LFD test result can continue to attend school and use protective measures. 	Lateral flow testing team	SLT	To determine whether there are asymptomatic Covid cases in the community.
Minimise contact with individuals who are required to self-isolate by ensuring they do not	 Pupils, staff and other adults should not come to school if: they have one or more coronavirus (COVID-19) symptoms a member of their household (including someone in their support bubble or childcare bubble if they have one) has coronavirus (COVID-19) 	Staff / students and parents	SLT	Reduce cases of Covid-19 in the school community



attend the school	 symptoms they are required to quarantine having recently visited countries outside the Common Travel Area they have had a positive test They must immediately cease to attend and not attend for at least 10 days from the day after their symptoms or when the positive test was given. Anyone told to self-isolate by NHS test and trace has a legal obligation to self-isolate (more information can be found https://www.gov.uk/guidance/nhs-test-and-trace-how-it-works) 			
Promote and engage with NHS test and trace process	 Staff members, parents and carers will need to: book a test if they or their child has symptoms - the main symptoms are: 	Staff / students and parents	SLT	Reduce cases of Covid-19 in the school community

Awaiting Approval 01/09/21 JYO	Buckingham School Reopening of School During a Coronavir Risk Assessment Updated September 2021	Tisports College		
Promote staff mental health and wellbeing	 Management will promote mental health & wellbeing awareness to staff during the Coronavirus outbreak and will offer whatever support they can to help Reference - <u>https://www.mind.org.uk/information-support/coronavirus-and-your-wellbeing/https://www.hse.gov.uk/stress/mental-health.htm</u> Regular communication of mental health information and open door policy is in place for those who need additional support. A pack of information is available about local and/or national support groups, include <u>PAM Assist website</u>, <u>Education Support charity</u>, <u>Healthy Mind Bucks</u> <u>https://schoolsweb.buckscc.gov.uk/covid-19-corona-virus-latest-advice/covid-19-well-being-support-for-school-staff/</u> Systems are in place so staff can talk to key members if they need to. 	Staff	SLT	Promote wellbeing of staff